Application No.	Applicant(s)	
10/622,531	RICH, DAVID D.	
Examiner	Art Unit	
Michelle A. Lazor	1734	
OR REMAINS) CLOSED in this a or other appropriate communication GHTS. This application is subject	application. If not includ on will be mailed in due	ed course. <b>THIS</b>
1. This communication is responsive to the amendment received 1/14/05.		
3. The drawings filed on 18 July 2003 are accepted by the Examiner.		
been received. been received in Application No.		ation from the
	y complying with the re	quirements
		IOTICE OF
<ul> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. <ul> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul> </li> <li>7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ul>		
6. ☐ Interview Summar Paper No./Mail D 3), 7. ☑ Examiner's Amend	ry (PTO-413), ate dment/Comment	
	Examiner  Michelle A. Lazor  ars on the cover sheet with the (OR REMAINS) CLOSED in this a cor other appropriate communicating GHTS. This application is subject and MPEP 1308.  Ared 1/14/05.  aminer.  der 35 U.S.C. § 119(a)-(d) or (f).  been received.  been received in Application No. cuments have been received in this of this communication to file a replent of this application.  Atted. Note the attached EXAMINE is reason(s) why the oath or declar to be submitted.  The communication of the draw the header according to 37 CFR 1.12 and the header according to 37	Examiner    Art Unit

Application/Control Number: 10/622,531

Art Unit: 1734

## **DETAILED ACTION**

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John Moriarty on 4/19/05.

The application has been amended as follows:

Claim 18 is canceled.

2. The following is an examiner's statement of reasons for allowance: There was no reference in the prior art search that disclosed, taught, or suggested a sprayer that included a handle connected to a platform that is movably mounted to said platform and movable from a forward position overhanging a front portion of said platform to a second position overhanging a rear portion of said platform. Schuitemaker (U.S. Patent No. 4828177) discloses a sprayer with many of the same limitations as claimed, as discussed in the Office Action mailed 1/14/05, however he does not disclose the movable handle limitation. Duran et al. (U.S. Patent No. 3500620) disclose a handle that is movable and pivots as claimed, however, one of ordinary skill in the art at the time of the invention would not have looked to the lawn mower art when contemplating modifying a sprayer such as the one disclosed by Schuitemaker.

Application/Control Number: 10/622,531

Art Unit: 1734

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michelle A. Lazor whose telephone number is 571-272-1232. The examiner can normally be reached on Wed - Thurs 5:45 - 4:15.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Fiorilla can be reached on 571-272-1187. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MAL 4/20/05

CHRIS FIORILLA SUPERVISORY PATENT EXAMPLER

Au 1734